

P18943.A13

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



Image
2141

Applicant(s) : Yutaka IYOKI

**Office of Initial Patent Examination's
Customer Service Center**

Appln. No. : 09/487,712

Confirmation No.:3484

Filed : January 19, 2000

For : COMMUNICATION APPARATUS AND RECEPTION NOTIFYING METHOD

**REQUEST FOR CORRECTION OF FILING RECEIPT
(AFTER ALLOWANCE)**

Commissioner for Patents
U.S. Patent and Trademark Office
220 20th Street S.
Customer Window, Mail Stop _____
Crystal Plaza Two, Lobby, Room 1B03
Arlington VA 22202

Sir:

The Title of the Invention of the above-identified application, as it appears on the Official Filing Receipt, is incorrect. The Title should read ---COMMUNICATION APPARATUS AND RECEPTION NOTIFYING METHOD---, and not "COMMUNICATIN APPARATUS AND RECEPTION NOTIFYING METHOD", as it currently appears on the Filing Receipt. In other words, the term "COMMUNICATIN" should be ---COMMUNICATION---.

Attached, please find a copy of the incorrect Official Filing Receipt with the requested change noted thereon. Applicant notes that the same error appears on the Notice of Allowance, and a similar type request has been filed to correct the Notice of Allowance. Applicant further notes that the error appears to be the fault of the U.S. Patent and Trademark Office.

Please correct the Title of Invention of the above-identified application to read as follows:

---COMMUNICATION APPARATUS AND RECEPTION NOTIFYING METHOD---

P18943.A13


instead of:

“COMMUNICATIN APPARATUS AND RECEPTION NOTIFYING METHOD”

and forward a corrected copy of the Filing Receipt to the undersigned.

Should there be any questions, the Office of Initial Patent Examination is invited to contact the undersigned at the below-listed number.

Respectfully submitted,
Yutaka IYOKI



Reg. 31,038
Bruce H. Bernstein
Reg. No. 29,027

July 14, 2004
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191